

Tools to Tackle Medication Nonadherence

Beginning on **August 14th**, primary care providers can earn **RxEffect Bonus Incentives** for **Wellcare and Ambetter members**.

What is RxEffect? RxEffect is a **FREE**, easy-to-use online platform, giving you real-time visibility into member adherence behaviors. Click link to learn more: [RxEffect video](#)



✓ **Earn Bonus Incentives** – Over **\$900,000** in RxEffect bonuses were available last year for providers in Mississippi. Don't miss out!

✓ **Improve Medication Adherence** – Practices using RxEffect see significantly better medication adherence rates.

✓ **Ready for an RxEffect demo?** – Email your Provider Engagement Account Manager today!

More than 10% of all inbox messages in primary care are requests for a prescription renewal. Save time and improve medication adherence by writing prescriptions as a 90-day supply with 3 refills. Source: AMA Toolkit [Annual Prescription Renewal](#)

HEDIS Measure Review: Statin Use in Persons with Diabetes (SUPD) and Statin Therapy for Patients with Cardiovascular Disease (SPC)

Quality Measure	Description
Statin Use in Persons with Diabetes (SUPD)	Percentage of patients ages 40-75 years with at least two diabetes medications dispensed on unique dates of service who also received a statin medication fill during the year.
 SUPD Exclusions*	<i>Patients enrolled in hospice or with a diagnosis of end-stage renal disease (ESRD), rhabdomyolysis, myopathy, pregnancy, lactating, fertility, cirrhosis, pre-diabetes, and/or polycystic ovary syndrome.</i>
Statin Therapy for Patients with Cardiovascular Disease	Percentage of males ages 21-75 years and females ages 40-75 years who were identified as having clinical atherosclerotic cardiovascular disease (ASCVD) and received at least one high- or moderate-intensity statin medication during the year.
 SPC Exclusions*	<i>Members enrolled in hospice or with a diagnosis of ESRD, rhabdomyolysis, myopathy, muscular reactions to statins, pregnancy, in vitro fertilization, and/or cirrhosis. Also, members 66 years old as of Dec. 31 of calendar year with two diagnosis of frailty and one diagnosis of advanced illness.</i>

**Not an all-inclusive list*